



**ALSPEC AWNING/CASEMENT
WINDOW HARDWARE**

WINDOW HARDWARE

Alspec are proud to release a complete range of high performance commercial window stays.

The Alspec brand is only used on the highest quality hardware that is built to last.



Commercial Awning and Casement Stays

Alspec fabricators Australia wide have come to trust Alspec branded hardware on their biggest commercial projects.

Alspec's 40+ years of industry experience contributes to products that are functional, aesthetically pleasing and built to last.

The in-house Research and Development test lab in Brisbane can cycle test hardware to ensure that it meets the rigorous demands of day to day use.

We use hardware from trusted long-term supply partners around Australia and the world.

Features

- Made from 304 Grade Stainless Steel and high density AEP nylon
- Designed to provide the best fit with Alspec Window Systems
- Proven smooth operation for the life of the hardware
- Quick and easy to fit, can be screwed or riveted onto the window
- Elongated fixing holes provide adjustment once installed
- Provide market leading protection against wind and rain
- Cycle tested to 30,000 cycles
- Guaranteed for 7 years
- Sash weight from 12 - 90kg on awning windows and 24 - 42kg on casement windows



Code	Alspec Stainless Steel Awning Stays	Sash Weight (kg)	Sash Height (mm)	Opening Angle	Box Qty
1377864	ALSPEC AS8TH SS TOP HUNG STAY 13mm x 214mm	12	350	70	25 Pair
1377865	ALSPEC AS10TH SS TOP HUNG STAY 13mm x 270mm	16	400	88	25 Pair
1377866	ALSPEC AS12TH SS TOP HUNG STAY 13mm x 310mm	20	550	87	25 Pair
1377870	ALSPEC AS16TH SS TOP HUNG STAY 13mm x 412mm	24	750	87	25 Pair
1377871	ALSPEC AS20TH SS TOP HUNG STAY 13mm x 512mm	28	1000	40	25 Pair
1377872	ALSPEC AS24TH SS TOP HUNG STAY 13mm x 615mm	35	1100	40	25 Pair
1377943	ALSPEC AS10HD SS FRICTION STAY 16mm x 263mm	50	762	82	25 Pair
1377944	ALSPEC AS16HD SS FRICTION STAY 16mm x 414mm	63	1120	87	25 Pair
1377945	ALSPEC AS22HD SS FRICTION STAY 16mm x 567mm	74	1321	87	16 Pair
1377946	ALSPEC AS26HD SS FRICTION STAY 17mm x 683mm	90	1800	23	12 Pair

Code	Alspec Stainless Steel Casement Stays	Sash Weight (kg)	Sash Height (mm)	Opening Angle	Box Qty
1377941	ALSPEC AS12SH SS SIDE HUNG STAY 14mm x 310mm	24	650	87	25 Pair
1377942	ALSPEC AS16SH SS SIDE HUNG STAY 14mm x 412mm	30	800	87	25 Pair
1377943	ALSPEC AS10HD SS FRICTION STAY 16mm x 263mm	34.4	660	82	25 Pair
1377944	ALSPEC AS16HD SS FRICTION STAY 16mm x 414mm	37	800	87	25 Pair
1377945	ALSPEC AS22HD SS FRICTION STAY 16mm x 567mm	42	800	87	16 Pair

Aluminium Window Stays

- Made from Architectural Grade Aluminium Alloy
- Lightweight, strong and highly resistant to corrosion
- Designed to provide the best fit with Alspec Window Systems
- Supplied in black to suit all window finishes
- Cycle tested to 30,000 cycles
- Available in friction and non friction versions



Code	Alspec Aluminium Stays	Box Qty
1377950	ALUMINIUM 235mm NON FRICTION AWNING STAY	30 Pair
1377951	ALUMINIUM 235mm FRICTION AWNING STAY	30 Pair

Restrictor Stays

- Made from 304 Grade Stainless Steel & high density AEP nylon
- Can assist with compliance to fall prevention requirements
- The range covers light and heavy duty solutions
- Quick & easy to fit, can be screwed or riveted onto the window
- Elongated fixing holes provide adjustment once installed
- Cycle tested to 25,000 cycles



Code	Alspec Restrictor Stays	Box Qty
1377947	ALSPEC RESTRICTOR STAY SS 13mm LIGHT DUTY	100 Pair
1377948	ALSPEC RESTRICTOR STAY SS 16mm HEAVY DUTY	100 Pair
1377949	ALSPEC RESTRICTOR STAY & KEY SS 16mm HEAVY DUTY	100 Pair

Cam Handles

- Non lockable for unrestricted window operation
- Lockable option when security is paramount
- Powder coated black to suit all window finishes



Code	Alspec Cam Handles	Box Qty
1377953	ALSPEC CAM HANDLE HI-PROFILE SELF LATCH LH	50 Each
1377954	ALSPEC CAM HANDLE HI-PROFILE SELF LATCH RH	50 Each
1377862	ALSPEC CAM HANDLE HI-PROFILE SELF LATCH LH LOCKABLE	50 Each
1377863	ALSPEC CAM HANDLE HI-PROFILE SELF LATCH RH LOCKABLE	50 Each