

SMART LOCKS

The premium digital locking solution for flexibility and peace of mind



Unity Security Screen Door Lock

The Unity Security Screen Door Lock provides seamless entry into your home. It can be paired with your Unity Entrance Lock so that once your screen door unlocks, so too will the the entrance lock*.



*DualDoor™ Technology requires pairing the Unity Security Screen Door and Unity Entrance Locks with Yale Connect Plus or two Yale Connect Bridges (one per lock) to operate.

Unity Security Screen Door Lock



Gone are the days when you have to search around for your keys. Now you can control your front door and your security screen door with the Yale Access App, contactless key tag or Yale Smart Keypad*.

With Yale Access you can:

- Lock and unlock your door via your mobile device
- Grant access to others for one time access
- Grant access for a set period of time or a date range
- Keep track of visitor access

Think of the times when you walk up to your front door and have to search your bag or pockets for your house keys. Now imagine walking up to your front door and your lock unlocks the door as you approach!

Using multiple technologies including Bluetooth, Wi-Fi and GPS, as well as the Yale Access App, the auto unlock feature unlocks your door as you approach.

The Unity Security Screen Door Lock has patented digital deadlocking technology, locking both the internal and external handles of your lock when using your smart device or contactless key tag.

Need a premium security solution? An optional 3 point lock kit is available with your Unity Security

Screen Door Lock. Activating these auxiliary locks is as simple as lifting the lever.

Lock alert indications show users the lock mode via an inbuilt LED. The lock has three modes: Unlock (green), Locked (yellow) and Secure (red). You can also press the internal electronic button to lock and unlock from the inside.

The inbuilt door position sensor checks the status of the door and tells you if your door is securely closed and locked. This avoids inadvertently locking your door while the door is open.


The Unity Security Screen Door Lock works with Amazon Alexa, Apple HomeKit and Google Home. You can control your lock with your voice using Alexa, Siri or Google Assistant.

The Unity Screen Door Lock meets Australian lock standards AS4145.2:2008, SL6 and D7.

*Yale Connect Plus Wi-Fi Bridge and Smart Keypad sold separately.

Unity Security Screen Door Lock





Features & Specifications

- Digital deadlocking
- Certified to SL6 (Security) and D7 (Durability) Australian Lock Standard (AS4145.2.2008)
- Fits industry-standard doors
- Total Control via Yale Access App
- Auto Unlock
- Tailor user access
- Lock alert
- 24/7 Lock Activity Trails
- Door position sensor
- 100% keyfree
- Support for 3 point locking including lift to engage





Installation video

| Technical Specifications | |
|--------------------------|--|
| Australian Standard | AS4145.2.2008 SL6 Security D7 Durability |
| Compliance | Regulatory Compliance Mark (RCM) for Australia and New Zealand |
| Locking Type | Single point Zinc diecast screen door mortice and locking furniture. Self latching with stainless steel hook deadbolt for improved security performance. Additional 3 point locking kit with hook bolts actuators for premium security. |
| Door Thickness | 18-25mm |
| Door Preparation | Fits industry standard cut outs/door preparation |
| Retrofits | Retrofits Lockwood 8654, Whitco Tasman Mk2 and Mk3 & Yale Quattro Screen Door Locks |
| Handing | Suits left or right hand opening doors |
| Finish | Silver powdercoat with black nylon with Stainless steel front end plates |
| RFID | 2 x Contactless Key Tags |
| IP Rating | IP55 |
| Operating Temperature | -25-70°C |
| Humidity | 0-90% |
| Power | 4 x AA Alkaline batteries |
| Battery Life on lock | Approximately 12 months |
| Low Battery Warning | 20% |
| Volume Settings | Mute, Low, High |
| Use | Security Screen Doors, not for use where internal escutcheon is directly exposed to outside elements e.g. an outdoor gate. |

Unity Security Screen Door Lock

Lock Kits

| Alspec Code | Yale Part Number | Item Description |
|-------------|------------------|--|
| 1304566 | YUR/SSDL/1/SIL | Yale Unity Security Screen Door Lock Silver |
| 1304549 | YUR/SSDL/BDG/SIL | Yale Unity Security Screen Door Lock with Connect Bridge Silver |
| 1304544 | YUR/SSDL/KP/SIL | Yale Unity Security Screen Door Lock with Smart Keypad Silver |
| 1304548 | YUR/SSDL/KIT/SIL | Yale Unity Security Screen Door Lock with Keypad and Bridge Silver |

| Alspec Code | Yale Part Number | Item Description |
|-------------|------------------|---|
| 1304545 | YDKEYTAG | Yale Contactless Keytag |
| 1304456 | 8654-3PK | Standard 3 point kit |
| 1304457 | 8654-3PK/HS | High security 3 point kit |
| 1304454 | 8654-3PK/PBT | Projection Bolt 3 point kit |
| 1304459 | 8654-3PK/SR | Short rod 3 point kit |
| 1304654 | 8654-3PK/RF | Retro fit rod 3 point kit |
| 1304452 | 8654-3PK/PBTRF | Projection Bolt 3 point kit - RF rods |
| 1304470 | SP8654-20 | Strike centre lock (standard) |
| 1304458 | SP8654-21 | Strike centre lock (extra width) |
| 1304474 | SP8654-22 | Strike centre lock (12mm step over) |
| 1304471 | SP8654-23 | Strike aux lock (standard) |
| 1304472 | SP8654-24 | Strike aux lock (12mm step over) |
| 1304523 | SP8654-25 | 8654 Strike french door |
| 1304469 | SP8654-26 | 8654/MK3 Tasman retrofit strike |
| 1304498 | SP8654-27 | 8654 Strike packer 1.5mm - main lock PK = 50 |
| 1304501 | SP8654-28 | 8654 Actuator bar spacer $PK = 50$ |
| 1304473 | SP8654-29 | 8654 Narrow plate main lock strike french/double doors |
| 1304475 | SP8654-30 | 8654 Narrow plate auxiliary lock strike french/double doors |
| 1304495 | SP8654-31 | 8654 Projection bolt 3PT actuator bar-grey |
| 1304492 | SP8654-32 | 8654 Strike centre lock - extra width - 75mm |
| 1304493 | SP8654-33 | 8654 Strike centre lock - extra - 95mm |
| 1304509 | SP8654-34 | 8654 Narrow plate main strike packer 3mm |
| 1304489 | SP8654-35 | 8654 Narrow plate aux strike packer 3mm |
| 1304506 | SP8654-36 | 8654 Strike centre lock - bump strike |
| 1304491 | SP8654-37 | 8654 Strike centre lock - broad retrofit strike |
| 1304494 | SP8654-55 | 8654 Standard 3PT actuator bar-black PK=100 |
| 1304496 | SP8654-AUX-STP | 8654 Auxiliary lock strike pocket template - SS |
| 1304525 | SP8654-MAIN-STP | 8654 Main lock strike pocket template - SS |
| | | |

Unity Entrance Lock



Designed specifically for the Australian market, the Unity Entrance Lock has patented digital deadlocking technology allowing you to lock both the internal and external handles on your door.

The Unity Entrance Lock has three modes: Unlock (green), Locked (yellow) and Secure (red) - all indicated by an inbuilt LED light. Controllable by either your Yale Access App, Contactless Key Tag or the Yale Smart Keypad*, the Unity Entrance Lock provides you with a range of options to control your lock.

The Yale Access App allows you to lock and unlock your door, grant access to others and keep track of visitor access, all via your smartphone. Grant users one-time access, access for a set period of time or a date range and avoid any lost, stolen or copied keys.

Using Bluetooth, Wi-Fi, GPS and the Yale Access App, the auto unlock feature unlocks your door as you approach it.

The Yale Unity Nexion Retrofit Kit* offers customers the option to upgrade the Lockwood Nexion Mechanical and Nexion Keyless Entrance Locksets to a Yale Unity Entrance Lock. This includes a latch and 3 sizes of strike plates to cover 35-45mm thick jambs. With their metallic finish, the latch and strike plates ensure a clean, high-quality appearance. The latch and strike plates are also designed to accommodate Yale Unity's door position sensor. This door position sensor checks the status of the door and tells you if your door is open or closed, giving you the peace of mind that your door is secure when locking up.

The Unity Entrance Lock can be upgraded using the Yale Connect or Connect Plus Wi-Fi Bridge*. This allows you to access your lock from wherever you are in the world. Remote features include the ability to lock, unlock, manage user access and update lock settings.

The Yale Connect Bridge enables integration with your Google, Samsung or Alexa smart home hubs. The Unity Entrance Lock is also Apple HomeKit compatible (see Lock Compatibility Table on p.19 for details).

With the Yale Smart Keypad*, you can lock and unlock your door via PIN codes.

The durable metal Yale Unity Installation Template* is tradesperson friendly - particularly where multiple or ongoing installations are required.


The Unity Lock meets Australian lock standards AS4145.2:2008, SL8 and D8.


*Yale Connect, Connect Plus Wi-Fi Bridge, Yale Smart Keypad, Yale Unity Nexion Retrofit Kit and Yale Unity Installation Template sold separately.

NOTE: Yale Unity Nexion Retrofit Kit not suitable for use on fire door applications.

Unity Entrance Lock







223

Features & Specifications

- Digital deadlocking
- Certified to SL8 (Security) & to D8 (Durability) Australian Lock Standard (AS4145.2:2008)
- Certified to BAL-40 Bushfire Level (AS1530.8.1-2007)
- Fits standard doors 35mm- 60mm thick
- 60-70mm backset latch compatible
- Total control via App
- Auto unlock
- Tailor user access
- Lock alert
- 24/7 Lock Activity trails
- Door Position Sensor
- 100% keyfree



| Alspec Code | Yale Part Number | Item Description |
|-------------|------------------|--|
| 1304566 | YUR/DEL/1/SIL | Yale Unity Entrance Lock Silver |
| 1304572 | YUR/DEL/BDG/SIL | Yale Unity Entrance Lock With Connect Bridge |
| 1304573 | YUR/DEL/KP/SIL | Yale Unity Entrance Lock Silver with Smart Keypad |
| 1304574 | YUR/DEL/KIT/SIL | Yale Unity Entrance Lock Silver with Connect Bridge and Keypad |
| 1304545 | YDKEYTAG | Yale Contactless Key Tag |
| 1304575 | YUR/TEMPLATE | Yale Unity Installation Template |
| 1304576 | YUR/NX/KIT | Yale Unity Nexion Retrofit Kit |

| Technical Specifications | |
|--------------------------|--|
| Australian Standard | AS4145.2.2008, SL8 Security, D8 Durability, AS1530.8.1-2007 and BAL-40 Bush Fire Level |
| Compliance | Regulatory Compliance Mark (RCM) for Australia and New Zealand |
| Lock Type | 530 Latch |
| Door Thickness | 35-60mm |
| Backset | 60-70mm backset (70mm latch sold separately – Y530-222SC) |
| Finish | Silver powdercoat with black nylon |
| RFID | 2 x Contactless Key Tags |
| Power | 4 x AA Alkaline batteries |
| Battery Life on lock | Approximately 12 months |
| Low Battery Warning | 20% |
| Volume Settings | Off, Low, High |
| Operating Temperature | -25-70°C |
| Humidity | 0-95% |
| IP Rating | IP54 |
| Use | Entry doors. Not for use on doors where the internal escutcheon is exposed to outside elements. Eg: Outdoor gate |





SYDNEY CORPORATE OFFICE & BRANCH

3 Alspec Place Eastern Creek NSW 2766 Phone: 02 9834 9500 | Fax: 02 9834 9532 | info@alspec.com.au | sydney@alspec.com.au

MELBOURNE BRANCH

26-40 Pound Road West Dandenong South VIC 3175 Phone: 03 8787 6333 Fax: 03 8787 6399 melbourne@alspec.com.au

DARWIN BRANCH

25 Bishop Street Woolner NT 0820 Phone: 08 8941 7300 darwin@alspec.com.au

NEWCASTLE BRANCH

95 Griffiths Road Lambton NSW 2299 Phone: 02 4952 9111 Fax: 02 4952 9728 newcastle@alspec.com.au

TOWNSVILLE BRANCH

21 Carroll Street Mount Louisa QLD 4814 Phone: 07 3089 4965 Fax: 1300 131 747 townsville@alspec.com.au

BRISBANE BRANCH

8-22 Jutland Street Loganlea QLD 4131 Phone: 07 3089 4900 Fax: 07 3089 4999 brisbane@alspec.com.au

CANBERRA BRANCH

28 Sheppard Street Hume ACT 2620 Phone: 02 5134 3300 canberra@alspec.com.au

BRENDALE BRANCH 24 Doherty Street Brendale QLD 4500

Phone: 07 3205 9911 Fax: 07 3205 9915 brendale@alspec.com.au

CAIRNS BRANCH

34-38 Hargreaves Street Edmonton QLD 4869 Phone: 07 4037 6666 Fax: 07 4037 6699 cairns@alspec.com.au

ADELAIDE BRANCH

1 Pope Court Beverley SA 5009 Phone: 08 8150 6960 Fax: 08 8150 6999 adelaide@alspec.com.au

PERTH BRANCH

30 Holder Way Malaga WA 6090 Phone: 08 9209 9100 Fax: 08 9209 9199 perth@alspec.com.au

CHEVALLUM BRANCH

4-8 Empire Crescent Chevallum QLD 4555 Phone: 07 5437 6123 Fax: 07 5437 6124 chevallum@alspec.com.au

BUNDABERG BRANCH

17 Production Street Svensson Heights QLD 4670 Phone: 07 4111 2000 Fax: 07 4111 2099 bundaberg@alspec.com.au

Call 1300 ALSPEC (1300 257 732) alspec.com.au