





McArthur Evo

101.6mm CENTRE POCKET FRAMING




ME7
45mm DOOR STOP
Mass. 0.275 Kg/m
Anod. Per. 138
Paint Per. 100

ME35
35mm DOOR STOP
Mass. 0.271 Kg/m
Anod. Per. 136
Paint Per. 100


ME40
40mm DOOR STOP
Mass. 0.271 Kg/m
Anod. Per. 136
Paint Per. 100

ME45
45mm DOOR STOP
Mass. 0.271 Kg/m
Anod. Per. 136
Paint Per. 100


ME8
POCKET FILLER
Mass. 0.181 Kg/m
Anod. Per. 100
Paint Per. 100




ME32
35mm SASH ADAPTOR
Mass. 0.430 Kg/m
Anod. Per. 204
Paint Per. 100




ME30
50mm SASH ADAPTOR
Mass. 0.293 Kg/m
Anod. Per. 143
Paint Per. 100




ME33
443 SASH ADAPTOR
Mass. 0.268 Kg/m
Anod. Per. 143
Paint Per. 100




ASW43
AWNING WINDER
ADAPTOR
Mass. 0.624 Kg/m
Anod. Per. 299
Paint Per. 160




ASW118
McARTHUR EVO
PROTILT AWNING
ADAPTOR
Mass. 0.858 Kg/m
Anod. Per. 337
Paint Per. 172




VM76
SASH RECEIVER
ADAPTOR
Mass. 0.734 Kg/m
Anod. Per. 346
Paint Per. 225




VM75
SASH SCREEN
RECEIVER ADAPTOR
Mass. 0.734 Kg/m
Anod. Per. 346
Paint Per. 225




AF54
McARTHUR EVO SLIM
LOUVRE ADAPTOR
Mass. 0.337 Kg/m
Anod. Per. 171
Paint Per. 100




AF43
McARTHUR EVO
LOUVRE ADAPTOR
Mass. 0.377 Kg/m
Anod. Per. 197
Paint Per. 100




AF44
McARTHUR EVO
LOUVRE HEAD ADAPTOR
Mass. 0.556 Kg/m
Anod. Per. 293
Paint Per. 138




AF45
McARTHUR EVO
LOUVRE SILL ADAPTOR
Mass. 0.556 Kg/m
Anod. Per. 293
Paint Per. 135




AS5
FLUSH ADAPTOR
Mass. 0.500 Kg/m
Anod. Per. 213
Paint Per. 100
Ixx = 150.5 x 10³ mm⁴




AS5F
FLUSH ADAPTOR WITH
SCREW FLUTES
Mass. 0.538 Kg/m
Anod. Per. 231
Paint Per. 100
Ixx = 180.0 x 10³ mm⁴




AS27
C.O.C FILLER
Mass. 0.483 Kg/m
Anod. Per. 214
Paint Per. 100




AS221
20mm REVEAL ADAPTOR
Mass. 0.522 Kg/m
Anod. Per. 250
Paint Per. 100




AS21
FLASHING ADAPTOR
Mass. 0.589 Kg/m
Anod. Per. 279
Paint Per. 165




AS20
FLASHING ADAPTOR
Mass. 0.701 Kg/m
Anod. Per. 314
Paint Per. 190




ME27
101.6mm FLASHING
ADAPTOR
Mass. 0.598 Kg/m
Anod. Per. 279
Paint Per. 161




ME4
GLAZING ADAPTOR
Mass. 0.685 Kg/m
Anod. Per. 303
Paint Per. 100
Ixx = 187.7 x 10³ mm⁴




ME48
90 DEGREE FIXING
ADAPTOR
Mass. 0.829 Kg/m
Anod. Per. 352
Paint Per. 142




ME15
FLASHING ADAPTOR
Mass. 0.750 Kg/m
Anod. Per. 354
Paint Per. 145




AS222
101.6mm 13mm
PLASTERBOARD ADAPTOR
Mass. 1.043 Kg/m
Anod. Per. 395
No Visible Surface




ME19
100mm FIXING
LEG ADAPTOR
Mass. 0.973 Kg/m
Anod. Per. 391
Paint Per. 100




ECO218
EZI REVEAL ADAPTOR
Mass. 0.806 Kg/m
Anod. Per. 377
No Visible Surface




ME29
CORNER FRAME
Mass. 1.821 Kg/m
Anod. Per. 728
Paint Per. 208
Ixx = 1181.23 x 10³ mm⁴



AS668
100mm PIPE DUCT
Mass. 3.112 Kg/m
Anod. Per. 779
Paint Per. 324
Ixx = 2762.40 x 10³ mm⁴
















AS120
101.6mm STRAIGHT COUPLER
(120mm FACE)
Mass. 2.599 Kg/m
Anod. Per. 521
Paint Per. 241
Ixx = 2293.59 x 10³ mm⁴



AS165
101.6mm 90 DEGREE CORNER
COUPLER
Mass. 2.425 Kg/m
Anod. Per. 490
Paint Per. 209
Ixx = 1575.70 x 10³ mm⁴

McArthur Evo

150mm CENTRE POCKET FRAMING



Note: Glass
edge cover is
limited to 8mm in
this section,
therefore a max
glass thickness
of 10.38mm
applies as per
AS1288

