

CUSTOMER TECHNICAL MEMO # 340

Subject New Hollow Sub Heads

Date: April 2019

Author: Product Development Team

We are pleased to advise you of two new additions to the Sub Head range. These are Project Dies only and for specific use when a dropped subhead is required to allow services to pass above the framing. The corresponding gasket is WS69.

New section details are as follows:

CODE	DESCRIPTION	MASS	AP	PP
1606753	AS719 100mm Hollow Sub Head (160mm Deep / 6106-T6)	5.025	666	444
1606751	AS717 150mm Hollow Sub Head (210mm Deep / 6106-T6)	7.18	863	576

These new extrusions are currently available in AIQ.

Tech Manual Extrusion pages have been included for your information. These dies will be added to the Sub Head and Sub Sill Wall Chart when next updated.

If you have any questions please do not hesitate to contact your local Alspec Branch or Area Manager.

Extrusions - 150mm Hollow Sub Head

VISIBLE SURFACES

AS717*

150mm HOLLOW SUB HEAD
(210mm DEEP / 6106-T6)

Mass. 7.18 kg/m

Anod. Per. 863

Paint Per. 576

NOTE: * REFERS TO NON STOCK ITEM
Check with your nearest Alspec Branch for availability.

Extrusions - 100mm Hollow Sub Head

