

Flyscreens & Flydoors

FLYSCREEN ENCLOSURES

Technical Manual
April 2025 | ISSUE A

alspec[®]
EVERYTHING ALUMINIUM
& HARDWARE

COPYRIGHT

This Technical manual remains the property of Aluminium Specialties Group Pty Limited and contains privileged information which is the subject of copyright and the manual or any part thereof may not be reproduced, copied or loaned in any form without the written permission of Aluminium Specialties Group Pty Limited.

This manual is to be returned to Aluminium Specialties Group Pty Limited when requested.

DISCLAIMER

Whilst every effort has been made to ensure the technical details contained within this manual are accurate, Aluminium Specialties Group Pty Limited can take no responsibilities for any loss or damage whatsoever arising as a result of any errors contained in this manual.

Also, interpretation of standards or codes within this manual is Aluminium Specialties Group Pty Limited interpretation for such codes. Responsibility for code compliance remains with the user of this manual. In some cases product dimensions may vary or be changed without notice. The user of this manual should not act or rely upon on any information contained in this manual without first obtaining appropriate professional advice relating to their particular circumstances.

Aluminium Specialties Group Pty Limited disclaims all liability for loss or damage suffered by any party who acts or fails to act in reliance of this manual.

Contents

1. TECHNICAL MANUAL RELEASE NOTES	1.1
2. TECHNICAL SPECIFICATIONS	2.1
5. EXTRUSIONS	5.1
6. HARDWARE & COMPONENTS	6.1
Seals	6.1
Fasteners	6.1
Splines	6.1
Accessories	6.2
Sliding Door Accessories	6.3
Hinge Door Accessories	6.4
Lock Hardware - Hinge Door	6.5
Lock Hardware - Sliding Door	6.6
Fibreglass Mesh Sizes	6.7
Bettervue Fibreglass Mesh Sizes	6.8
Ultramesh Mesh Sizes	6.9
Sandfly Fibreglass Mesh Sizes	6.10
Petscreen Mesh Sizes	6.11
Aluminium Mesh Sizes	6.12
AluMesh Sizes	6.13
Aluscreen Mesh Sizes	6.14
Megamesh Mesh Sizes	6.15
Silicone	6.16
Silicone Product Codes	6.17
7. TYPICAL ELEVATION	7.1
Head, Sill and Transom Details	7.1
8. TYPICAL DETAILS	8.1
45mm Head & Sill Details	8.1
45mm Jamb and Corner Details	8.2
45mm Hinge Door Details	8.3
45mm Sliding Door Details	8.4
50mm Head & Sill Details	8.5
50mm Jamb and Corner Details	8.6
50mm Hinge Door Details	8.7
50mm Sliding Door Details	8.8
10. MANUFACTURING DETAILS	10.1
Bracket Hole Details	10.1
11. ASSEMBLY DETAILS	11.1
45mm Top Corner Details to Wall	11.1

45mm Bottom Corner Assembly

11.2

45mm Mid Rail Coner Assembly

11.3

13. CARE & MAINTENANCE

13.1

[illegible]

2. Technical Specifications

ALUMINIUM

Aluminium frames should be manufactured using Alspec's Flyscreen Enclosures framing system.


HARDWARE

All hardware as per ALSPEC Technical Manual


FINISHES

- All powder coated material shall be produced to AS3715.
- All anodised material shall be produced to AS1231


All products are available from Alspec (A.B.N. 63 001 252 259) as detailed in the "Alspec" catalogue or on the Internet at www.alspec.com.au.




SC2
45mm SCREEN POST
Mass. 0.834 Kg/m
Anod Per. 238
Paint Per. 238




SC3
45mm SCREEN RAIL
Mass. 0.420 Kg/m
Anod Per. 208
Paint Per. 109




SC4
50mm SCREEN POST
Mass. 0.938 Kg/m
Anod Per. 276
Paint Per. 276



SC8
50mm SCREEN RAIL
Mass. 0.464 Kg/m
Anod Per. 233
Paint Per. 120






SC7
SCREEN BEAM
Mass. 1.105 Kg/m
Anod Per. 270
Paint Per. 270




SC1
SCREEN ADAPTOR
Mass. 0.214 Kg/m
Anod Per. 100
Paint Per. 100

5. Extrusions




FD1A
MEDIUM DUTY
FLY FRAME

Anod. Per. 176
Paint Per. 143





FD2
SCREEN DOOR

Anod. Per. 245
Paint Per. 176




FD3
SCREEN
DOOR CAP

Anod. Per. 129
Paint Per. 100



TM5
SECURITY T MULLION


Anod. Per. 126
Paint Per. 100



TM4
T MULLION


Anod. Per. 100
Paint Per. 100

5. Extrusions




ST16
TOP TRACK
FOR SCREEN
DOOR

Anod. Per. 184
Paint Per. 141




HD29
ALTITUDE/CARINYA
INTERLOCK

Anod. Per. 100
Paint Per. 100




HD3
OFFSET
INTERLOCK

Anod. Per. 100
Paint Per. 100




ST8
BOTTOM SLIDING
TRACK

Anod. Per. 160
Paint Per. 138




ST11
TRACK

Anod. Per. 100
Paint Per. 100




ST19
SINGLE TRACK
24mm JAMB

Anod. Per. 145
Paint Per. 119




ST7
SECURITY
DOOR TRACK

Anod. Per. 175
Paint Per. 131



ST17
SINGLE TRACK
24mm HEAD

Anod. Per. 184
Paint Per. 126




ST18
SINGLE TRACK
24mm SILL

Anod. Per. 139
Paint Per. 100


VISIBLE SURFACES



VISIBLE SURFACES



VISIBLE SURFACES



5. Extrusions

VISIBLE SURFACES

RB8
PURLIN

Mass. 3.967 Kg/m
Anod Per. 500
Paint Per. 500

VISIBLE SURFACES

SB9
90mm FLUTED POST

Mass. 1.839 Kg/m
Anod Per. 350
Paint Per. 350



VISIBLE SURFACES

SB9
90 x 90mm POST

Mass. 1.889 Kg/m
Anod Per. 355
Paint Per. 355

6. Hardware & Components

Seals


IMAGE	PART #	FINISH	DESCRIPTION
	1377408	BLACK (034) GREY (036)	PS11 11mm FRINGE PILE x 100m
	1377414	BLACK (034) GREY (036)	PS13 13mm FRINGE PILE x 100m
	1377415	BLACK (034) GREY (036)	PS16 16mm FRINGE PILE x 100m
	1377423	BLACK (034)	PS20 20mm FRINGE PILE x 100m

Fasteners

SCREWS			
PART #	HEAD	DESCRIPTION	LOCATION
1382088	PHILLIPS	10g x 1/2 (13mm) SS PHILLIPS PAN SELF TAPPING x 1000	CB2 BRACKET
1382643	SQUARE #2	10g x 1/2 (13mm) 304SS SQ #2 PAN S/TAP SCREW x 1000	
1382054	PHILLIPS	10g x 1 (25mm) SS PHIL PAN S/TAP SCREW x 500	CB4 BRACKET
1382644	SQUARE #2	10g x 1 (25mm) 304SS SQ #2 PAN S/TAP SCREW x 1000	
1382094	PHILLIPS	10g x 1 (25mm) SS PHILLIPS CSK S/TAP x 200	Door MULLION
1382657	SQUARE #2	10g x 1 (25mm) 304SS SQ #2 CSK S/TAP SCREW x 1000	


RIVETS		
PART #	DESCRIPTION	LOCATION
1380010	AS4-2 RIVETS x 1000 MILL	Hinge / Sliding Interlock
1380022	AS4-3 RIVETS x 1000 MILL	

Splines

IMAGE	PART #	FINISH	DESCRIPTION	QTY
	1328024	BLACK (034)	SPLINE (I) 5.7mm x 300m	ROLL
	1328026	BLACK (034) GREY (036)	SPLINE (J) 6mm x 300m	ROLL
	1328031	BLACK (034)	SPLINE (K) 6.3mm x 300m	ROLL
	1329004	BLACK (034)	EASY SPLINE 5.7mm x 457m	ROLL
	1329005	BLACK (034)	EASY SPLINE 6mm x 408m	ROLL
	1329006	BLACK (034)	EASY SPLINE 6.3mm x 365m	ROLL


6. Hardware & Components

Accessories




CB2 CHANNEL BRACKET (SC2)

PART	1330010
FINISH	MILL (001)
QTY	EACH




CB4 CONCEALED BRACKET (SC4)

PART	1330011
FINISH	MILL (001)
QTY	EACH



P2 HEAVY DUTY SEC DOOR CORNER

PART	1311211
FINISH	NOT SPECIFIED (099)
QTY	EACH



P3 NYLON CORNER STAKE WITH FLUSH BOLT HOLE x 1

PART	1311242
FINISH	BLACK (034) GREY (036)
QTY	EACH



8131-01 SPLINE ROLLER HANDLE ONLY

PART	1328111
FINISH	NOT SPECIFIED (099)
QTY	EACH



8327-01 SPLINE ROLLER AXLE

PART	1328106
FINISH	NOT SPECIFIED (099)
QTY	EACH



8229-64 3mm SPARE WHEEL

PART	1328108
FINISH	PEARL WHT GLOSS (010)
QTY	EACH



8228-64 6mm SPARE WHEEL


PART	1328107
FINISH	PEARL WHT GLOSS (010)
QTY	EACH




HANDYMAN SPLINE ROLLER

PART	1328104
FINISH	NOT SPECIFIED (099)
QTY	EACH


Sliding Door Accessories




ALSPEC DUO-FIT SEC DOOR ROLLER SS BEARING 20kg	
PART	1311900
FINISH	BLACK (034)
QTY	EACH




ALSPEC OFFSET SECURITY DOOR ROLLER 25kg	
PART	1311904
FINISH	BLACK (034)
QTY	EACH



ALSPEC OFFSET SECURITY DOOR ROLLER SS 40kg	
PART	1311905
FINISH	BLACK (034)
QTY	EACH



23.5mm ALSPEC SCREEN DOOR TOP GUIDE	
PART	1309906
FINISH	BLACK (034)
QTY	EACH



21.5mm ALSPEC SCREEN DOOR TOP GUIDE	
PART	1309905
FINISH	GREY (036)
QTY	EACH




Note: Other colours available on request


INVENTCO 3S WATER DOOR CLOSER	
PART	1311002
FINISH	BLACK (034)
QTY	EACH

6. Hardware & Components


Hinge Door Accessories



W831417 STEPPED SEC DOOR HINGE BLACK	
PART	1304186
FINISH	BLACK (034)
QTY	PAIR



ALSPEC STEPPED SECURITY DOOR HINGE	
PART	1311051
FINISH	BLACK (034)
QTY	PAIR



MFA75 END CAP COMPONENT	
PART	1378995
FINISH	BLACK (034)
QTY	EACH



ALSPEC SECURITY DOOR CLOSER HD (25kg)	
PART	1311907
FINISH	BLACK (034)
QTY	EACH



W810517 STD SCREEN DOOR CLOSER BLACK WHITCO	
PART	1304168
FINISH	BLACK (034)
QTY	EACH



AUSTRAL STD SCREEN DOOR CLOSER	
PART	1308001
FINISH	BLACK (034)
QTY	EACH

Lock Hardware - Hinge Door



YALE QUATTRO HINGED SECURITY DOOR LOCK	
PART	1304530
FINISH	BLACK (034)
QTY	EACH



YALE QUATTRO STANDARD 3PT KIT	
PART	1304533
FINISH	BLACK (034)
QTY	EACH



W807016 MK3 TASMAN ESCAPE LOCK		
PART	1304476	1304477
FINISH	WHITE (010)	BLACK (034)
QTY	EACH	




ELEGANCE PUSH2GO HINGED SEC DOOR LOCK BLACK	
PART	1308101
FINISH	BLACK (034)
QTY	EACH



ELEGANCE XC HINGED SEC DOOR LOCK ELXC	
PART	1308090
FINISH	BLACK (034)
QTY	EACH

6. Hardware & Components

Lock Hardware - Sliding Door



YALE QUATTRO SLIDING SECURITY DOOR LOCK BLACK

PART	1304580
FINISH	BLACK (034)
QTY	EACH



YALE QUATTRO SLIDING 3PT LOCK ACC KIT

PART	1304589
FINISH	BLACK (034)
QTY	EACH



AUSTRAL SD9 HORIZON SEC DOOR LOCK BLACK SATIN

PART	1308302
FINISH	SATIN BLACK (059)
QTY	EACH



W821317 BASS SLIDING SCREEN DOOR HANDLE STD STRIKE

PART	1304225
FINISH	BLACK (034)
QTY	EACH



W821417 BASS HANDLE OUTER PULL STD STRIKE

PART	1304226
FINISH	BLACK (034)
QTY	EACH



ALSPEC MAGNETIC FLYDOOR CATCH INC 2mm STRIKE KIT 1

PART	1304221
FINISH	BLACK (034)
QTY	EACH



ALSPEC MAGNETIC FLYDOOR CATCH INC 6mm STRIKE KIT 2

PART	1304222
FINISH	BLACK (034)
QTY	EACH




ALSPEC MAGNETIC FLYDOOR CATCH INC 12mm STRIKE KIT 3

PART	1304223
FINISH	BLACK (034)
QTY	EACH

6. Hardware & Components

Fibreglass Mesh Sizes




STANDARD FIBREGLASS MESH

SIZE	PART NO.
610mm x 50m	1326051
760mm x 50m	1326052
810mm x 50m	1326053
910mm x 50m	1326054
1070mm x 50m	1326055
1220mm x 50m	1326056
1520mm x 50m	1326057
1830mm x 50m	1326058
2130mm x 50m	1326062

6. Hardware & Components


Bettervue Fibreglass Mesh Sizes



BETTERVUE FIBREGLASS MESH	
SIZE	PART NO.
910mm x 30m	1319003
1220mm x 30m	1319006

6. Hardware & Components


Ultramesh Mesh Sizes



ULTRAMESH	
SIZE	PART NO.
610mm x 50m	1326011
760mm x 50m	1326012
810mm x 50m	1326013
910mm x 50m	1326014
1070mm x 50m	1326015
1220mm x 50m	1326016
1520mm x 50m	1326018
1830mm x 50m	1326019

6. Hardware & Components


Sandfly Fibreglass Mesh Sizes



SANDFLY FIBREGLASS MESH	
SIZE	PART NO.
915mm x 30m	1327011
1220mm x 30m	1327012
2100mm x 30m	1327018
2440mm x 30m	1327019
2740mm x 30m	1327020

6. Hardware & Components

Petscreen Mesh Sizes




PETSCREEN POLYESTER MESH	
SIZE	PART NO.
610mm x 30m	1327045
910mm x 2.05m	1327046
1220mm x 2.05m	1327047
910mm x 30m	1327048
1220mm x 30m	1327049
1520mm x 30m	1327058
1830mm x 30m	1327059

PETSCREEN LITE POLYESTER MESH	
SIZE	PART NO.
2400mm x 30m	1327004
3050mm x 30m	1327005

6. Hardware & Components


Aluminium Mesh Sizes



ALUMINIUM MESH BLACK	
SIZE	PART NO.
610mm x 30m	1325001
760mm x 30m	1325004
810mm x 30m	1325008
910mm x 30m	1325012
1220mm x 30m	1325018
1520mm x 30m	1325017
1830mm x 30m	1325025

6. Hardware & Components


AluMesh Sizes



ALUMESH ALUMINIUM BLACK	
SIZE	PART NO.
610mm x 30m	1325060
760mm x 30m	1325061
810mm x 30m	1325062
910mm x 30m	1325063
1220mm x 30m	1325064
1520mm x 30m	1325065

6. Hardware & Components


Aluscreen Mesh Sizes



ALUSCREEN® MESH	
SIZE	PART NO.
910mm x 14m	1327021
1220mm x 14m	1327022

ALUSCREEN PLUS® MESH	
SIZE	PART NO.
910mm x 14m	1327025
1220mm x 14m	1327026

Megamesh Mesh Sizes



MEGAMESH 316G	
SIZE	PART NO.
610mm x 30m	1327080
760mm x 30m	1327081
810mm x 30m	1327082
910mm x 30m	1327083
1220mm x 30m	1327084
1520mm x 30m	1327085

6. Hardware & Components

Silicone



100% NEUTRAL CURE SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Flexible + 25%
- AS4020 Approved



100% MATTE NEUTRAL CURE SILICONE

- Premium 100% silicone
- Matte finish
- UV Stable
- Outstanding elongation
- Higher strength



41 CLADDING SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Movement capability + 50%



WET AREA SILICONE

- Premium 100% silicone
- Mould inhibited
- Movement capability + 25%
- UV Stable
- Non corrosive
- Superior adhesion



HYBRID PU ADHESIVE SEALANT

- No isocyanates
- Internal/External
- No shrinking/staining
- Paintable
- Excellent adhesion



20 ACETIC CURE SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Flexible + 25%



D60 SILICONE

- Premium 100% silicone
- UV Stable
- 2-5 minute skin time
- Flexible + 25%
- No slump

***FOR MORE INFORMATION ON SILICONES,
PLEASE REFER TO ALSPEC SILICONE BROCHURE.**


6. Hardware & Components

Silicone Product Codes

Product Category	Item No.	Alspec Part No.	Description	Finish	Pack
ALSPEC 100%	1	1386113	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	ALMOND IVORY	CARTRIDGE
	2	1386114	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	ALUMINIUM	CARTRIDGE
	3	1386105	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	BLACK	CARTRIDGE
	4	1386140	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	CAULFIELD GREEN	CARTRIDGE
	5	1386111	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	CLASSIC CREAM	CARTRIDGE
	6	1386108	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	LIGHT GREY	CARTRIDGE
	7	1386138	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	MONUMENT	CARTRIDGE
	8	1386112	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	OFF WHITE	CARTRIDGE
	9	1386141	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	STONE BEIGE	CARTRIDGE
	10	1386101	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	11	1386106	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WHITE	CARTRIDGE
	12	1386143	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WOODLAND GREY	CARTRIDGE
ALSPEC 100% MATT	13	1386103	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	BLACK MATT	CARTRIDGE
	14	1386107	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	LIGHT GREY MATT	CARTRIDGE
	15	1386144	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WHITE MATT	CARTRIDGE
ALSPEC 20	16	1386115	ALSPEC 20 ACETIC CURE SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
ALSPEC 41 CLADDING	17	1386159	ALSPEC 41 CLADDING SILICONE x 300ml CAT	BLACK MATT	CARTRIDGE
	18	1386117	ALSPEC 41 CLADDING SILICONE x 600ml SAU	BLACK MATT	SAUSAGE
	19	1386158	ALSPEC 41 CLADDING SILICONE x 300ml CAT	LIGHT GREY MATT	CARTRIDGE
	20	1386118	ALSPEC 41 CLADDING SILICONE x 600ml SAU	LIGHT GREY MATT	SAUSAGE
	21	1386157	ALSPEC 41 CLADDING SILICONE x 300ml CAT	WHITE MATT	CARTRIDGE
	22	1386145	ALSPEC 41 CLADDING SILICONE x 600ml SAU	WHITE MATT	SAUSAGE
ALSPEC D60	23	1386121	ALSPEC D60 SILICONE x 300ml CAT	BLACK	CARTRIDGE
	25	1386123	ALSPEC D60 SILICONE x 300ml CAT	GREY	CARTRIDGE
	26	1386120	ALSPEC D60 SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	27	1386124	ALSPEC D60 SILICONE x 300ml CAT	WHITE	CARTRIDGE
ALSPEC HYBRID PU	28	1386127	ALSPEC HYBRID PU x 300ml CAT	BLACK	CARTRIDGE
	29	1386126	ALSPEC HYBRID PU x 600ml SAU	BLACK	SAUSAGE
	30	1386160	ALSPEC HYBRID PU x 300ml CAT	GREY	CARTRIDGE
	31	1386128	ALSPEC HYBRID PU x 600ml SAU	GREY	SAUSAGE
	32	1386130	ALSPEC HYBRID PU x 300ml CAT	WHITE	CARTRIDGE
	33	1386129	ALSPEC HYBRID PU x 600ml SAU	WHITE	SAUSAGE
ALSPEC WET AREA	34	1386137	ALSPEC WET AREA SILICONE x 300ml CAT	ALMOND IVORY	CARTRIDGE
	35	1386139	ALSPEC WET AREA SILICONE x 300ml CAT	BLACK	CARTRIDGE
	36	1386146	ALSPEC WET AREA SILICONE x 300ml CAT	BLUESTONE	CARTRIDGE
	37	1386147	ALSPEC WET AREA SILICONE x 300ml CAT	CHARCOAL	CARTRIDGE
	38	1386136	ALSPEC WET AREA SILICONE x 300ml CAT	LIGHT GREY	CARTRIDGE
	39	1386148	ALSPEC WET AREA SILICONE x 300ml CAT	MID GREY	CARTRIDGE
	40	1386149	ALSPEC WET AREA SILICONE x 300ml CAT	OFF WHITE	CARTRIDGE
	41	1386150	ALSPEC WET AREA SILICONE x 300ml CAT	PEWTER	CARTRIDGE
	42	1386151	ALSPEC WET AREA SILICONE x 300ml CAT	STONE BEIGE	CARTRIDGE
	43	1386154	ALSPEC WET AREA SILICONE x 300ml CAT	TAUPE	CARTRIDGE
	44	1386152	ALSPEC WET AREA SILICONE x 300ml CAT	TILE GREY	CARTRIDGE
	45	1386133	ALSPEC WET AREA SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	46	1386153	ALSPEC WET AREA SILICONE x 300ml CAT	TRAVERTINE	CARTRIDGE
	47	1386134	ALSPEC WET AREA SILICONE x 300ml CAT	WHITE	CARTRIDGE


7. Typical Elevation

Head, Sill and Transom Details





8. Typical Details

45mm Head & Sill Details




8. Typical Details

45mm Jamb and Corner Details





8. Typical Details

45mm Hinge Door Details




8. Typical Details

45mm Sliding Door Details





50mm Head & Sill Details




8. Typical Details

50mm Jamb and Corner Details




8. Typical Details

50mm Hinge Door Details







8. Typical Details

50mm Sliding Door Details




Bracket Hole Details




11. Assembly Details

45mm Top Corner Details to Wall




11. Assembly Details

45mm Bottom Corner Assembly



11. Assembly Details

45mm Mid Rail Coner Assembly



13. Care & Maintenance

FRAMING

Your new **Flyscreen Enclosures** frames have been manufactured using the highest quality materials available to the Architectural industry. Constructed from Architectural grade aluminium, these products are highly corrosion resistant and exceptionally strong. With a moderate amount of maintenance, the **Flyscreen Enclosures** frame will retain it's good looks and resist the elements for years to come.

The **Flyscreen Enclosures** frames are the product of extensive research and development and designed to resist corrosion and rusting, but as with all external elements on the building require some maintenance to keep them looking good and performing well. Depending on how harsh the environment elements are, the maintenance period will vary. Refer to recommended maintenance table below.

Your **Flyscreen Enclosures** frames should only ever need to be washed down with a soft bristled brush using warm water and mild detergent. Rinse well with fresh water and remove any detergent residue. Strong detergents and abrasive cleaners should never be used to clean the **Flyscreen Enclosures** frames as they may scratch or damage the surface finish.

MAINTENANCE PERIOD TABLE

ENVIRONMENT	RECOMMENDED MAXIMUM MAINTENANCE INTERVAL
Mild	Six Months
Moderate	Three Months
Tropical/Severe	One Month

Environmental Definitions:

Mild – Being rural, away from the coast and remote from industry and urban activity.

Moderate – Being mainly urban, inland and away from heavy industry.

Tropical – Being coastal/marine, subject to salt deposition and within 15km of the Eastern coast or 10km of the Western coast of Australia.

SYDNEY

3 Alspec Place
Eastern Creek NSW 2766
Phone: 02 9834 9500
sydney@alspec.com.au

MELBOURNE

26–40 Pound Road West
Dandenong South VIC 3175
Phone: 03 8787 6333
melbourne@alspec.com.au

BRISBANE

8–22 Jutland Street
Loganlea QLD 4131
Phone: 07 3089 4900
brisbane@alspec.com.au

ADELAIDE

1 Pope Court
Beverley SA 5009
Phone: 08 8150 6960
adelaide@alspec.com.au

DARWIN

25 Bishop Street
Woolner NT 0820
Phone: 08 8941 7300
darwin@alspec.com.au

CANBERRA

28 Sheppard Street
Hume ACT 2620
Phone: 02 5134 3300
canberra@alspec.com.au

PERTH

30 Holder Way
Malaga WA 6090
Phone: 08 9209 9100
perth@alspec.com.au

NEWCASTLE

95 Griffiths Road
Lambton NSW 2299
Phone: 02 4952 9111
newcastle@alspec.com.au

BRENDALE

24 Doherty Street
Brendale QLD 4500
Phone: 07 3205 9911
brendale@alspec.com.au

SUNSHINE COAST

4-8 Empire Crescent
Chevallum QLD 4555
Phone: 07 5437 6123
sunshinecoast@alspec.com.au

TOWNSVILLE

21 Carroll Street
Mount Louisa QLD 4814
Phone: 07 3089 4965
townsville@alspec.com.au

CAIRNS

34–38 Hargreaves Street
Edmonton QLD 4869
Phone: 07 4037 6666
cairns@alspec.com.au

BUNDABERG

17 Production Street
Svensson Heights QLD 4670
Phone: 07 4111 2000
bundaberg@alspec.com.au

CARRUM DOWNS

99 Frankston Gardens Drive
Carrum Downs VIC 3201
Phone: 03 9775 1223
carrumdowns@alspec.com.au

All pictures shown in this catalogue are for illustration purposes only. Actual product may vary due to product enhancement.