

affinity18

SEMI-FRAMELESS SILL-LESS



Pictured: Sill-less Full Door and Return

FUNCTIONAL FULL OPENING DOOR | FLEXIBLE DESIGN | CREATIVE PIVOT SYSTEM

alspec[®]
EVERYTHING ALUMINIUM
& HARDWARE

February 2025 | ISSUE A

danmac[™]
SHOWER SCREENS AND WARDROBES

POWERED BY ALSPEC

affinity18

SEMI-FRAMELESS SILL-LESS


Danmac is proud to announce the introduction of the "Affinity Full Opening Door System". The Affinity 18 Full Opening Pivot inserts into the back edge of the door, ensuring a full opening door for all shower screen applications. Manufactured from the highest quality brass, stainless steel pin and nylon insert.

specifications:

- Brass pivot, Stainless steel pin
- Tight Shower Screen Openings
- With or without Sill
- Wheel Chair Accessibility
- Caravans and Motor Homes
- Slimline Design
- Magnetic Closure
- Will not interfere with taps
- Up to a 1000mm wide door



Sill-less



With Sill



Magnetic
Door Stop


Handle Options:

TS25x13-250 (pictured on front page) is available in

Polished Chrome, Brushed Satin and Black.

RK25-3 Double Pull knob Supplied standard with all screens.

CONFIGURATIONS



Affinity 18 Australian Designed Registered No. 146773

Danmac is a glazing industry leader in design and distribution of aluminium, components and hardware. Our commitment to excellence and innovation in design extends from windows to wardrobes, door frames to shower screens, balustrading and beyond. We pride ourselves on providing the very best in customer service and quality through our fabrication and supply of custom-built products to suit any requirement, style or area.



POWERED BY ALSPEC

To order or for more information call:

1300 139 706

99 Frankston Gardens Drive,
Carrum Downs Vic 3201

Tel: (03) 9775 1223 Fax: (03) 9775 1445

visit: danmac.com.au

COPYRIGHT

This Technical manual remains the property of Aluminium Specialties Group Pty Limited and contains privileged information which is the subject of copyright and the manual or any part thereof may not be reproduced, copied or loaned in any form without the written permission of Aluminium Specialties Group Pty Limited.

This manual is to be returned to Aluminium Specialties Group Pty Limited when requested.

DISCLAIMER

Whilst every effort has been made to ensure the technical details contained within this manual are accurate, Aluminium Specialties Group Pty Limited can take no responsibilities for any loss or damage whatsoever arising as a result of any errors contained in this manual.

Also, interpretation of standards or codes within this manual is Aluminium Specialties Group Pty Limited interpretation for such codes. Responsibility for code compliance remains with the user of this manual. In some cases product dimensions may vary or be changed without notice. The user of this manual should not act or rely upon on any information contained in this manual without first obtaining appropriate professional advice relating to their particular circumstances.

Aluminium Specialties Group Pty Limited disclaims all liability for loss or damage suffered by any party who acts or fails to act in reliance of this manual.

Contents

1. TECHNICAL MANUAL RELEASE NOTES	1.1
2. TECHNICAL SPECIFICATIONS	2.1
5. EXTRUSIONS	5.1
6. HARDWARE & COMPONENTS	6.1
Glazing Channels & Infills	6.1
Fasteners	6.1
Pivots & Door Stops	6.1
Accessories	6.2
Dress Trims & End Caps	6.3
Silicone	6.4
Silicone Product Codes	6.5
7. TYPICAL ELEVATION	7.1
8. TYPICAL DETAILS	8.1
Single Panel - Door	8.1
Closer Panel - Jamb	8.3
Double Door - Head and Sill	8.10
9. CUTTING SHEETS	9.1
Single Panel - Door	9.1
Closer Panel with 90° Return (sill-less)	9.2
Bath Screen - Single Panel	9.3
Bath Screen - Multifold (Square edge)	9.4
10. MANUFACTURING DETAILS	10.1
Height Details	10.1
Head and Sill	10.2
Head and Sill - less	10.3
Head - less and Sill - less	10.4
Head and Sill Assembly	10.5
Bath Screen - Multifold (square edge) Glass Details	10.6
11. ASSEMBLY DETAILS	11.1
Head - Pivoting Panel - DFOPS18 Pivot	11.1
Head-less	11.2
Sill-less	11.3
Closer Panel	11.4
DCSPR	11.4
Pop Rivet	11.4
Closer Panel - Inside View	11.5
90° Return Panel	11.6

Detail View A	11.6
Outer Frame	11.7

13. CARE & MAINTENANCE	13.1
-----------------------------------	-------------

2. Technical Specifications

ALUMINIUM

Aluminium frames should be manufactured using Alspec's **DANMAC AFFINITY 18 SEMI-FRAMELESS SHOWER SCREEN** framing system.

HARDWARE

The hardware shall be as nominated in the Alspec Tech Manual Hardware and Components section for **DANMAC AFFINITY 18 SEMI-FRAMELESS SHOWER SCREEN**.


FINISHED

- All powder coated material shall be produced to AS3715
- All anodised material shall be produced to AS1231

All products are available from Alspec (A.B.N. 63 001 252 259) as detailed in the "Alspec" catalogue or on the Internet at www.alspec.com.au.


- **All glass, glazing rubbers, seals and gaskets shall be applied in accordance with the requirements of AS1288 (glass in buildings - selection and installation).**

5. Extrusions




DF
FRAME

Mass. 0.362 Kg/m
Anod. Per. 123
Paint Per. 123




DFC
FRAME CHANNEL

Mass. 0.322 Kg/m
Anod. Per. 183
Paint Per. 100




DBPF
BRIGHTON PANEL FRAME

Mass. 0.423
Anod. Per. 139
Paint Per. 110



DBF
BRIGHTON FRAME

Mass. 0.384
Anod. Per. 119
Paint Per. 119



6. Hardware & Components



Glazing Channels & Infills

IMAGE	TO SUIT GLASS	PART #	DESCRIPTION	COLOUR
	-	1335224	DIFR INFILL RUBBER x 100m	BLACK (034) BRIGHT CHROME (0D4) FROST (0J9)
	-	1335230	DF/BMW FINELINE WEDGE SUITS 2.4mm POCKET - 300m ROLL	BLACK (034) BRIGHT SILVER (0MH) FROST CLEAR (075)

Fasteners

RIVETS		
PART #	DESCRIPTION	LOCATION
1335207	DPR DANMAC POP RIVETS x 1000 PER BOX	FRAME CHANNEL
DCSPR *	DCSPR COUNTERSUNK POP RIVETS x 1000 PER BOX	FRAME INTO CORNER STAKES
OTHER		
1335220	DNW NYLON WASHER x 30 PER BAG	PIVOT BASE (USE WITH 1335211)

Pivots & Door Stops




DFOPS18 AFFINITY 18 FULL OPENING PIVOT SET	
PART	1335222
FINISH	PEARL WHITE GLOSS (010) BLACK (034) BRIGHT CHROME (0D4) WHITE BIRCH* BARLEY* SATIN*
QTY	EACH (LEFT & RIGHT)

DMDSOO MAGNETIC DOOR STOP - SWING OUT ONLY	
PART	1335227
FINISH	BRIGHT CHROME (0D4) SATIN CHROME (094)
QTY	EACH

* Note: Non Alspec stocked product, available to order through Danmac.

6. Hardware & Components


Accessories




DCB90 90 Deg CORNER BLOCK		
PART	1335204	1335205
FINISH	BLACK (034)	WHITE (015)
QTY	EACH	




DBS BUMP STOP	
PART	1335221
FINISH	CLEAR (0Z1)
QTY	EACH




DGP GLASS PACKER 4 x 250mm BAG	
PART	1335234
FINISH	CLEAR (0Z1)
QTY	EACH



DIFWFB INTERNAL FRAME WALL FIXING BLOCK*	
PART	DIFWFB
FINISH	BLACK (034)
QTY	EACH



DBC45 135 DEGREES BRIGHTON CORNER BRACE	
PART	1335233
FINISH	BLACK (034) BRIGHT SILVER (0MH) PEARL WHITE GLOSS (010)
QTY	EACH



DBC90 90 DEGREES BRIGHTON CORNER BRACE	
PART	1335289
FINISH	BLACK (034) BRIGHT SILVER (0MH) PEARL WHITE GLOSS (010)
QTY	EACH



DACB ADJUSTABLE CORNER BLOCK	
PART	1335225
FINISH	BLACK (034)
QTY	EACH (PAIR)

* Note: Non Alspec stocked product, available to order through Danmac.

6. Hardware & Components

Dress Trims & End Caps

IMAGE	PART #	DESCRIPTION	COLOUR
	1335280	DSFFPT SEMI FRAMELESS FIX PANEL TRIM TREE	CHROME PLATE (0N9)
	1335274	DDTFC FRAME CHANNEL DRESS TRIM TREE	PEARL WHITE GLOSS (010) A.P.O GREY (021) WHITE BIRCH* BARLEY* BLACK (034)
	1335235	DBFEC BRIGHTON FRAME END CAP SET (LEFT AND RIGHT)	PEARL WHITE GLOSS (010) BRIGHT CHROME (0D4) BLACK (034) SATIN CHROME (094)

* Note: Non Alspec stocked product, available to order through Danmac.

6. Hardware & Components

Silicone



100% NEUTRAL CURE SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Flexible + 25%
- AS4020 Approved



100% MATTE NEUTRAL CURE SILICONE

- Premium 100% silicone
- Matte finish
- UV Stable
- Outstanding elongation
- Higher strength



41 CLADDING SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Movement capability + 50%



WET AREA SILICONE

- Premium 100% silicone
- Mould inhibited
- Movement capability + 25%
- UV Stable
- Non corrosive
- Superior adhesion



HYBRID PU ADHESIVE SEALANT

- No isocyanates
- Internal/External
- No shrinking/staining
- Paintable
- Excellent adhesion



20 ACETIC CURE SILICONE

- Premium 100% silicone
- UV Stable
- Superior adhesion
- Flexible + 25%



D60 SILICONE

- Premium 100% silicone
- UV Stable
- 2-5 minute skin time
- Flexible + 25%
- No slump


***FOR MORE INFORMATION ON SILICONES,
PLEASE REFER TO ALSPEC SILICONE BROCHURE.**

6. Hardware & Components


Silicone Product Codes

Product Category	Item No.	Alspec Part No.	Description	Finish	Pack
ALSPEC 100%	1	1386113	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	ALMOND IVORY	CARTRIDGE
	2	1386114	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	ALUMINIUM	CARTRIDGE
	3	1386105	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	BLACK	CARTRIDGE
	4	1386140	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	CAULFIELD GREEN	CARTRIDGE
	5	1386111	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	CLASSIC CREAM	CARTRIDGE
	6	1386108	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	LIGHT GREY	CARTRIDGE
	7	1386138	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	MONUMENT	CARTRIDGE
	8	1386112	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	OFF WHITE	CARTRIDGE
	9	1386141	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	STONE BEIGE	CARTRIDGE
	10	1386101	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	11	1386106	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WHITE	CARTRIDGE
	12	1386143	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WOODLAND GREY	CARTRIDGE
ALSPEC 100% MATT	13	1386103	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	BLACK MATT	CARTRIDGE
	14	1386107	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	LIGHT GREY MATT	CARTRIDGE
	15	1386144	ALSPEC 100% NEUTRAL CURE SILICONE x 300ml CAT	WHITE MATT	CARTRIDGE
ALSPEC 20	16	1386115	ALSPEC 20 ACETIC CURE SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
ALSPEC 41 CLADDING	17	1386159	ALSPEC 41 CLADDING SILICONE x 300ml CAT	BLACK MATT	CARTRIDGE
	18	1386117	ALSPEC 41 CLADDING SILICONE x 600ml SAU	BLACK MATT	SAUSAGE
	19	1386158	ALSPEC 41 CLADDING SILICONE x 300ml CAT	LIGHT GREY MATT	CARTRIDGE
	20	1386118	ALSPEC 41 CLADDING SILICONE x 600ml SAU	LIGHT GREY MATT	SAUSAGE
	21	1386157	ALSPEC 41 CLADDING SILICONE x 300ml CAT	WHITE MATT	CARTRIDGE
	22	1386145	ALSPEC 41 CLADDING SILICONE x 600ml SAU	WHITE MATT	SAUSAGE
ALSPEC D60	23	1386121	ALSPEC D60 SILICONE x 300ml CAT	BLACK	CARTRIDGE
	25	1386123	ALSPEC D60 SILICONE x 300ml CAT	GREY	CARTRIDGE
	26	1386120	ALSPEC D60 SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	27	1386124	ALSPEC D60 SILICONE x 300ml CAT	WHITE	CARTRIDGE
ALSPEC HYBRID PU	28	1386127	ALSPEC HYBRID PU x 300ml CAT	BLACK	CARTRIDGE
	29	1386126	ALSPEC HYBRID PU x 600ml SAU	BLACK	SAUSAGE
	30	1386160	ALSPEC HYBRID PU x 300ml CAT	GREY	CARTRIDGE
	31	1386128	ALSPEC HYBRID PU x 600ml SAU	GREY	SAUSAGE
	32	1386130	ALSPEC HYBRID PU x 300ml CAT	WHITE	CARTRIDGE
	33	1386129	ALSPEC HYBRID PU x 600ml SAU	WHITE	SAUSAGE
ALSPEC WET AREA	34	1386137	ALSPEC WET AREA SILICONE x 300ml CAT	ALMOND IVORY	CARTRIDGE
	35	1386139	ALSPEC WET AREA SILICONE x 300ml CAT	BLACK	CARTRIDGE
	36	1386146	ALSPEC WET AREA SILICONE x 300ml CAT	BLUESTONE	CARTRIDGE
	37	1386147	ALSPEC WET AREA SILICONE x 300ml CAT	CHARCOAL	CARTRIDGE
	38	1386136	ALSPEC WET AREA SILICONE x 300ml CAT	LIGHT GREY	CARTRIDGE
	39	1386148	ALSPEC WET AREA SILICONE x 300ml CAT	MID GREY	CARTRIDGE
	40	1386149	ALSPEC WET AREA SILICONE x 300ml CAT	OFF WHITE	CARTRIDGE
	41	1386150	ALSPEC WET AREA SILICONE x 300ml CAT	PEWTER	CARTRIDGE
	42	1386151	ALSPEC WET AREA SILICONE x 300ml CAT	STONE BEIGE	CARTRIDGE
	43	1386154	ALSPEC WET AREA SILICONE x 300ml CAT	TAUPE	CARTRIDGE
	44	1386152	ALSPEC WET AREA SILICONE x 300ml CAT	TILE GREY	CARTRIDGE
	45	1386133	ALSPEC WET AREA SILICONE x 300ml CAT	TRANSLUCENT	CARTRIDGE
	46	1386153	ALSPEC WET AREA SILICONE x 300ml CAT	TRAVERTINE	CARTRIDGE
	47	1386134	ALSPEC WET AREA SILICONE x 300ml CAT	WHITE	CARTRIDGE


7. Typical Elevation




SINGLE PANEL





CLOSER PANEL



90° RETURN




CLOSER PANEL & 90°
RETURN



Many more configurations to suit individual requirements



8. Typical Details

Single Panel - Door





8. Typical Details

Closer Panel - Head & Sill




8. Typical Details

Closer Panel - Jamb




8. Typical Details

90 Degree Return - Sill-less





8. Typical Details

90 Degree Return - Jamb Sill-less




8. Typical Details

Corner Entry - Head & Sill





8. Typical Details

Corner Entry - Jamb



8. Typical Details

Closer Panel & 90 Degree Return - Head & Sill-less




Closer Panel & 90 Degree Return - Jamb Sill-less




8. Typical Details

Double Door - Head and Sill




8. Typical Details

Bath Screen - Single Panel




Bath Screen - Multifold (Square Edge)



9. Cutting Sheets



Single Panel - Door

CUSTOMER	DATE	ORDER NO.
GLASS TYPE & THICKNESS	6mm Toughened	COLOUR



SIZE
HEIGHT
WIDTH

PIVOT
(circle correct side)



Note: All calculations are based on overall outside sizes

* **Mitered**

SILICONE GLASS INTO BRIGHTON MIRROR STILE

SECTION NO.	DESCRIPTION	CUTTING FORMULA	CUT SIZE	QTY
DFC	Left side - Frame Channel	Overall Height		1
DFC	Right side - Frame Channel	Overall Height		1
DBF	Left side - Brighton Frame* (Both ends)	Overall Height		1
DBF	Right side - Brighton Frame* (Both ends)	Overall Height		1
DBF	Head & Sill - Brighton Frame* (Both ends)	Overall Width -30m		2
DBMST	Brighton Mirror Stile	Overall Height - 78		1
GLASS	HEIGHT	Height - 78		1
	WIDTH	Width - 119		

COMPONENTS	
DESCRIPTION	QTY
Corner Blocks	4
Affinity 18 Pivot Set	1
DMDSOO – Magnetic Door Stop - Out Only	1
Pop Rivets	10
Name Badge	1
Frame Channel Set	1
Double Pull Knob	1

DUWS-DE-6 - ULTIMATE DUAL EDGE STRIP

mm

GLAZING WEDGE

THICKNESS	QTY
6 mm	m

DOUBLE PULL:

Drill a 10mm diameter hole in the door glass 60mm in from the edge

D-PULL HANDLE:

Drill 2 x 11mm diameter holes. 165mm between centres, 60mm in from the edge

More handles available please refer to alspec.com.au or danmac.com.au


PICKED BY	
CUT BY	
CHECKED BY	

9. Cutting Sheets




Closer Panel with 90° Return (sill-less)

CUSTOMER		DATE		ORDER NO.	
GLASS TYPE & THICKNESS		COLOUR			



	SIZE
HEIGHT	
WIDTH	
RETURN WIDTH	



Note: All calculations are based on overall outside sizes

* Mitered

SILICONE GLASS INTO BRIGHTON MIRROR STILE

FRONT				
SECTION NO.	DESCRIPTION	CUTTING FORMULA	CUT SIZE	QTY
DFC	FRAME CHANNEL	Overall Height		1
DBF	BRIGHTON FRAME* (Top Only)	Overall Height		1
DBF	HEAD - BRIGHTON FRAME* (wall side and cross mitre return side)	Overall Width-10		1
DBMST	BRIGHTON MIRROR STILE	Overall Height - 52		1
10x10	10 x 10 ANGLE* (Cross mitre return side, one side only)	Closer Panel Width		1
Door Glass	Height	Overall Height - 52		1
	Width	Overall Width -CP Width - 71		
Closer Glass	Height	Overall Height - 32		1
	Width	Overall Width - Door Width		
RETURN				
DFC	FRAME CHANNEL	Overall Height		1
DBPF	BRIGHTON PANEL FRAME* (Top Only)	Overall Height		1
DBPF	BRIGHTON PANEL FRAME* (wall side & cross mitre Door Side)	Return Width -10		1
Return Glass	Height	Overall Height - 32		1
	Width	Return Width - 55		

COMPONENTS	
DESCRIPTION	QTY
Corner Blocks	3
Affinity 18 Pivot Set	1
90° Adaptor Set	1
DMDSOO – Magnetic Door Stop - Out Only	1
Brighton End Cap	1
Pop Rivets	16
Name Badge	1
RK25-3 - Double Pull Knob	1
38mm Frame Screws	4

GLAZING WEDGE	
THICKNESS	QTY
6 mm	m


DUWS-DE-6 - ULTIMATE DUAL EDGE STRIP	
	mm

PICKED BY	
CUT BY	
CHECKED BY	


10. Manufacturing Details

Bath Screen - Single Panel

CUSTOMER		DATE		ORDER NO.	
GLASS TYPE & THICKNESS		COLOUR			



	SIZE
HEIGHT	
WIDTH	



SILICONE GLASS INTO BRIGHTON MIRROR STILE

SECTION NO.	DESCRIPTION	CUTTING FORMULA	CUT SIZE	QTY
DFC	Frame Channel	Overall Height		1
DBF	Brighton Frame (square cut both ends)	Overall Height		1
DBMST	Brighton Mirror Stile	Overall Height - 26		1
GLASS	HEIGHT	Overall Height - 26		1
	WIDTH	Overall Width - 60		

COMPONENTS	
DESCRIPTION	QTY
Corner Block	1
Affinity 18 Pivot Set	1
Pop Rivets	5
Name Badge	1
Frame Channel Cap Set	1


DUWS-DE-6 - ULTIMATE DUAL EDGE STRIP	
	mm

GLAZING WEDGE	
THICKNESS	QTY
6 mm	m

PICKED BY	
CUT BY	
CHECKED BY	



Bath Screen - Multifold (Square edge)

CUSTOMER		DATE		ORDER NO.	
GLASS TYPE & THICKNESS		COLOUR			



	SIZE
HEIGHT	
WIDTH	

PIVOT
(circle correct side)



Note: All calculations are based on overall outside sizes

SILICONE GLASS INTO BRIGHTON MIRROR STILE

FRONT				
SECTION NO.	DESCRIPTION	CUTTING FORMULA	CUT SIZE	QTY
DFC	FRAME CHANNEL	Overall Height		1
DBF	BRIGHTON FRAME (Square cut both ends)	Overall Height		1
DBMST	BRIGHTON MIRROR STILE	Overall Height - 26		1
Glass 1	Height	Overall Height - 26		1
	Width	Glass One - 60		
Glass 2	Height	Overall Height - 26		1
	Width	Glass Two		

COMPONENTS	
DESCRIPTION	QTY
Corner Blocks	1
Affinity 18 Pivot Set	1
Frame Channel Cap Set	1
Pop Rivets	5
Name Badge	1
D732 Bath Screen Hinges	2

GLAZING WEDGE	
THICKNESS	QTY
mm	m


DWS-180-6 GLASS TO GLASS STRIP
mm

DUWS-DE-6 - ULTIMATE DUAL EDGE STRIP
mm




PICKED BY	
CUT BY	
CHECKED BY	

Height Details

FULL FRAME




SILL-LESS FRAME




10. Manufacturing Details

Head and Sill




Head and Sill - less




10. Manufacturing Details

Head - less and Sill - less



10. Manufacturing Details

Head and Sill Assembly




IMPORTANT:

APPLY A BEAD OF SILICONE TO THE ENTIRE CIRCUMFERENCE OF EACH CORNER BLOCK IN THE SILL. THIS WILL CREATE A JOINT SEALANT IN THE MITRED CORNERS WHEN ASSEMBLED. SECURE THE CORNER BLOCKS IN POSITION USING POP RIVETS.


10. Manufacturing Details

Bath Screen - Multifold (square edge) Glass Details




11. Assembly Details

Head - Pivoting Panel - DFOPS18 Pivot




11. Assembly Details

Head-less




11. Assembly Details

Sill-less




11. Assembly Details

Closer Panel



11. Assembly Details


Closer Panel - Inside View



11. Assembly Details




90° Return Panel



HEAD - PIVOTING
PANEL ASSEMBLY


CLOSER PANEL ASSEMBLY

Detail View A




11. Assembly Details

Outer Frame



IMPORTANT:

APPLY SILICONE TO THE ENTIRE CIRCUMFERENCE OF EACH CORNER BLOCK IN THE SILL. THIS WILL CREATE A JOINT SEALANT IN THE MITRED CORNERS WHEN ASSEMBLED. SECURE THE CORNER BLOCKS IN POSITION USING POP RIVETS AND SEAL OVER HEAD.



13. Care & Maintenance

FRAMING

Your new **Danmac Affinity 18 Semi-Frameless Shower Screen** frames have been manufactured using the highest quality materials available to the Architectural industry. Constructed from Architectural grade aluminium, these products are highly corrosion resistant and exceptionally strong. With a moderate amount of maintenance, the **Danmac Affinity 18 Semi-Frameless Shower Screen** frame will retain it's good looks and resist the elements for years to come.

We custom design everything to ensure your exact specifications are met. We supply only the finest quality fittings and hardware in the market (including Opus frameless hardware). Our innovative flair for developing revolutionary, new products is unsurpassed in Australia. That's why Danmac is Australia's most trusted and committed shower screen manufacturer.

Your **Danmac Affinity 18 Semi-Frameless Shower Screen** frames should only ever need to be washed down with warm water and mild detergent. Rinse well with fresh water and remove any detergent residue. Strong detergents and abrasive cleaners should never be used to clean the **Danmac Affinity 18 Semi-Frameless Shower Screen** frames as they may scratch or damage the surface finish. Weekly maintenance of **Danmac Affinity 18 Semi-Frameless Shower Screen** is recommended.

SYDNEY

3 Alspec Place
Eastern Creek NSW 2766
Phone: 02 9834 9500
sydney@alspec.com.au

MELBOURNE

26–40 Pound Road West
Dandenong South VIC 3175
Phone: 03 8787 6333
melbourne@alspec.com.au

BRISBANE

8–22 Jutland Street
Loganlea QLD 4131
Phone: 07 3089 4900
brisbane@alspec.com.au

ADELAIDE

1 Pope Court
Beverley SA 5009
Phone: 08 8150 6960
adelaide@alspec.com.au

DARWIN

25 Bishop Street
Woolner NT 0820
Phone: 08 8941 7300
darwin@alspec.com.au

CANBERRA

28 Sheppard Street
Hume ACT 2620
Phone: 02 5134 3300
canberra@alspec.com.au

PERTH

30 Holder Way
Malaga WA 6090
Phone: 08 9209 9100
perth@alspec.com.au

NEWCASTLE

95 Griffiths Road
Lambton NSW 2299
Phone: 02 4952 9111
newcastle@alspec.com.au

BRENDALE

24 Doherty Street
Brendale QLD 4500
Phone: 07 3205 9911
brendale@alspec.com.au

SUNSHINE COAST

4-8 Empire Crescent
Chevallum QLD 4555
Phone: 07 5437 6123
sunshinecoast@alspec.com.au

TOWNSVILLE

21 Carroll Street
Mount Louisa QLD 4814
Phone: 07 3089 4965
townsville@alspec.com.au

CAIRNS

34–38 Hargreaves Street
Edmonton QLD 4869
Phone: 07 4037 6666
cairns@alspec.com.au

BUNDABERG

17 Production Street
Svensson Heights QLD 4670
Phone: 07 4111 2000
bundaberg@alspec.com.au

CARRUM DOWNS

99 Frankston Gardens Drive
Carrum Downs VIC 3201
Phone: 03 9775 1223
carrumdowns@alspec.com.au